

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

| Product Code | Description | Applicable Use Category(ies) | Density | Density | VOC Regulatory - Less Water Less Exempt | VOC Regulatory - Less Water Less Exempt | VOC Actual | VOC Actual | Wt. % Volatiles | Wt. % Water | Wt. % Exempt Compounds | Vol. % Water | Vol. % Exempt Compounds | Pounds of Organic HAP5 per Gallon of Product | |
|--------------|------------------------------------|---|---------|---------|---|---|------------|------------|-----------------|-------------|------------------------|--------------|-------------------------|--|------|
| | | | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | | | | | |
| F3115 | HS High Build Binder | Single-Stage Ctg | 8.50 | 1019 | 1.97 | 236 | 1.97 | 236 | 23.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 |
| F3117 | Solid Color HS Binder | Single-Stage Ctg | 8.51 | 1020 | 2.07 | 248 | 2.07 | 248 | 24.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3118 | Flattening Binder | | 9.62 | 1153 | 2.32 | 278 | 1.44 | 173 | 48.8 | 0.0 | 33.8 | 0.0 | 37.8 | 0.00 | 0.00 |
| F3120 | HS BC Converter | Color Ctg | 7.59 | 910 | 3.79 | 454 | 3.79 | 454 | 50.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3125 | Metallic BC Converter | Color Ctg | 8.42 | 1009 | 1.94 | 232 | 1.94 | 232 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3130 | HS Blendable BC Converter | Color Ctg | 7.11 | 852 | 3.46 | 415 | 1.41 | 169 | 74.7 | 0.0 | 54.9 | 0.0 | 59.3 | 0.00 | 0.00 |
| F3135 | Spot Repair Basecoat Converter | Color Ctg | 7.32 | 877 | 2.87 | 344 | 2.87 | 344 | 39.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3140 | BC Converter | | 7.38 | 884 | 6.42 | 769 | 6.42 | 769 | 87.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3150 | Metallic Color Single Stage Binder | | 8.19 | 981 | 4.20 | 503 | 4.20 | 503 | 51.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3160 | Solid Color Single Stage Binder | | 8.39 | 1005 | 3.75 | 449 | 3.75 | 449 | 44.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.82 |
| F3175 | Chemical Resistant Binder | | 7.72 | 925 | 4.19 | 502 | 4.19 | 502 | 54.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.07 |
| F3200 | High Solids Hardener | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Hardener) | 9.10 | 1091 | 1.35 | 162 | 1.35 | 162 | 14.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3210 | 2.1 Clear Hardener | Clear Ctg (Hardener) | 9.95 | 1192 | 0.58 | 69 | 0.43 | 52 | 32.2 | 0.0 | 27.9 | 0.0 | 24.8 | 0.0 | 0.00 |
| F3211 | 2.1 Clear Hardener - Slow | Clear Ctg (Hardener) | 9.95 | 1192 | 0.58 | 69 | 0.43 | 52 | 32.3 | 0.0 | 27.9 | 0.0 | 24.8 | 0.0 | 0.00 |
| F3215 | Designer Clear Hardener | | 9.20 | 1103 | 1.27 | 152 | 1.27 | 152 | 13.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3226 | Urethane Clear Hardener | | 8.27 | 991 | 3.59 | 430 | 3.59 | 430 | 43.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3240 | High Build Clear Hardener | | 8.95 | 1073 | 1.44 | 173 | 1.44 | 173 | 16.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3250 | Medium Solids Hardener - Fast | | 8.32 | 997 | 4.53 | 543 | 4.53 | 543 | 54.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3260 | HS Hardener - Fast | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Hardener) | 9.21 | 1104 | 1.34 | 161 | 1.34 | 161 | 14.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3270 | Medium Solids Hardener | | 8.31 | 996 | 4.53 | 543 | 4.53 | 543 | 54.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3275 | Chemical Resistant Hardener | | 8.87 | 1063 | 2.05 | 246 | 2.05 | 246 | 23.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3280 | High Performance Clear Hardener | | 8.74 | 1047 | 2.31 | 277 | 2.31 | 277 | 26.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3310 | Thinner - Extra Fast | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 6.92 | 829 | 7.38 | 884 | 3.11 | 373 | 100.0 | 0.0 | 55.0 | 0.0 | 57.8 | 0.0 | 0.00 |
| F3320 | Thinner - Fast | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 7.02 | 841 | 7.02 | 841 | 7.02 | 841 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3330 | Thinner - Medium | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 7.13 | 854 | 7.13 | 854 | 7.13 | 854 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3340 | Thinner - Slow | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 7.13 | 854 | 7.13 | 854 | 7.13 | 854 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3350 | Thinner - Extra Slow | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 7.13 | 854 | 7.13 | 854 | 7.13 | 854 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3360 | Retarder | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 7.13 | 854 | 7.13 | 854 | 7.13 | 854 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3385 | Exempt Solvent | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 8.89 | 1065 | 0.00 | 0 | 0.00 | 0 | 100.0 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.00 |
| F3390 | Exempt Solvent - Medium | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 10.04 | 1203 | 0.00 | 0 | 0.00 | 0 | 100.0 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.00 |
| F3395 | Exempt Solvent - Slow | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner) | 11.20 | 1342 | 0.00 | 0 | 0.00 | 0 | 100.0 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.00 |
| F3400 | Fast Dry Additive | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive) | 8.15 | 977 | 8.01 | 960 | 8.01 | 960 | 98.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

| Product Code | Description | Applicable Use Category(ies) | Density | Density | VOC Regulatory - Less Water Less Exempt | VOC Regulatory - Less Water Less Exempt | VOC Actual | VOC Actual | Wt. % Volatiles | Wt. % Water | Wt. % Exempt Compounds | Vol. % Water | Vol. % Exempt Compounds | Pounds of Organic HAP5 per Gallon of Product | |
|--------------|--|---|---------|---------|---|---|------------|------------|-----------------|-------------|------------------------|--------------|-------------------------|--|------|
| | | | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | | | | | |
| F3405 | Medium Dry Additive | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive) | 8.14 | 975 | 8.08 | 968 | 8.08 | 968 | 99.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3410 | Slow Dry Additive | Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive) | 8.14 | 975 | 8.14 | 975 | 8.14 | 975 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3415 | Designer Clear Accelerator | Clear Ctg (Additive) | 8.18 | 980 | 7.65 | 916 | 7.65 | 916 | 93.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3440 | Basecoat Dry Additive | Color Ctg (Additive) | 8.47 | 1015 | 0.00 | 0 | 0.00 | 0 | 98.7 | 0.0 | 98.7 | 0.0 | 98.7 | 0.0 | 0.00 |
| F3441 | BC Dry Additive | Color Ctg (Additive) | 8.68 | 1040 | 0.00 | 0 | 0.00 | 0 | 99.4 | 0.0 | 99.4 | 0.0 | 99.4 | 0.0 | 0.00 |
| F3442 | BC Dry Additive - Slow | Color Ctg (Additive) | 10.06 | 1206 | 0.00 | 0 | 0.00 | 0 | 99.6 | 0.0 | 99.6 | 0.0 | 99.6 | 0.0 | 0.00 |
| F3475 | Chemical Resistant Activator - Fast | | 9.71 | 1164 | 8.03 | 962 | 1.40 | 168 | 99.8 | 0.0 | 85.4 | 0.0 | 82.5 | 0.0 | 0.00 |
| F3476 | Chemical Resistant Activator - Medium | | 9.71 | 1164 | 8.10 | 970 | 1.40 | 168 | 99.9 | 0.0 | 85.5 | 0.0 | 82.7 | 0.0 | 0.00 |
| F3477 | Chemical Resistant Activator - Slow | | 9.71 | 1164 | 8.12 | 973 | 1.40 | 168 | 100.0 | 0.0 | 85.6 | 0.0 | 82.7 | 0.0 | 0.00 |
| F3478 | Chemical Resistant Activator - Very Slow | | 9.71 | 1164 | 8.14 | 975 | 1.40 | 168 | 100.0 | 0.0 | 85.6 | 0.0 | 82.8 | 0.0 | 0.00 |
| F3500 | Weak White Tinter | Color Ctg, Single-Stage Ctg | 9.37 | 1123 | 3.71 | 444 | 3.71 | 444 | 39.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3501 | Indo Blue Tinter | Color Ctg, Single-Stage Ctg | 8.79 | 1053 | 3.86 | 462 | 3.86 | 462 | 43.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3502 | Quindo Maroon Tinter | Color Ctg, Single-Stage Ctg | 8.65 | 1037 | 4.14 | 496 | 4.14 | 496 | 47.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3503 | Quindo Red Tinter | Color Ctg, Single-Stage Ctg | 8.96 | 1074 | 3.65 | 437 | 3.65 | 437 | 40.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3504 | Trans Quindo Red Tinter | Color Ctg, Single-Stage Ctg | 8.78 | 1052 | 3.95 | 473 | 3.95 | 473 | 45.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3505 | Trans Yellow Oxide Tinter | Color Ctg, Single-Stage Ctg | 9.61 | 1152 | 3.94 | 472 | 3.94 | 472 | 41.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3506 | Perrindo Red Tinter | Color Ctg, Single-Stage Ctg | 8.78 | 1052 | 4.28 | 513 | 4.28 | 513 | 48.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3507 | Quindo Magenta Tinter | Color Ctg, Single-Stage Ctg | 8.79 | 1053 | 3.87 | 464 | 3.87 | 464 | 44.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3508 | Trans Red Oxide Tinter | Color Ctg, Single-Stage Ctg | 9.75 | 1168 | 4.02 | 482 | 4.02 | 482 | 41.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3509 | Mid Shade Blue Tinter | Color Ctg, Single-Stage Ctg | 8.81 | 1056 | 4.01 | 480 | 4.01 | 480 | 45.5 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.00 |
| F3510 | Perylene Maroon Tinter | Color Ctg, Single-Stage Ctg | 8.85 | 1061 | 4.30 | 515 | 4.30 | 515 | 48.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3511 | R5 Organic Yellow Tinter | Color Ctg, Single-Stage Ctg | 8.53 | 1022 | 4.54 | 544 | 4.54 | 544 | 53.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3512 | Green Gold Tinter | Color Ctg, Single-Stage Ctg | 8.52 | 1021 | 4.51 | 540 | 4.51 | 540 | 52.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3513 | Rubine Red Tinter | Color Ctg, Single-Stage Ctg | 8.80 | 1055 | 3.64 | 436 | 3.64 | 436 | 41.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3514 | High Color Black Tinter | Color Ctg, Single-Stage Ctg | 8.77 | 1051 | 4.01 | 480 | 4.01 | 480 | 45.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3515 | Weak Blue Tinter | Color Ctg, Single-Stage Ctg | 8.79 | 1053 | 3.45 | 413 | 3.45 | 413 | 39.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3516 | Weak Green Tinter | Color Ctg, Single-Stage Ctg | 8.29 | 993 | 3.53 | 423 | 3.53 | 423 | 42.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3517 | Weak Yellow Oxide Tinter | Color Ctg, Single-Stage Ctg | 8.93 | 1070 | 3.33 | 399 | 3.33 | 399 | 37.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3518 | Weak Red Oxide Tinter | Color Ctg, Single-Stage Ctg | 8.99 | 1077 | 3.35 | 401 | 3.35 | 401 | 37.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3519 | Weak Blue Black Tinter | Color Ctg, Single-Stage Ctg | 8.80 | 1055 | 3.42 | 410 | 3.42 | 410 | 38.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3520 | Sunlight Yellow Tinter | Color Ctg, Single-Stage Ctg | 15.86 | 1901 | 3.60 | 431 | 3.60 | 431 | 22.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3521 | G5 Organic Yellow Tinter | Color Ctg, Single-Stage Ctg | 9.87 | 1183 | 3.93 | 471 | 3.93 | 471 | 39.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3522 | Verdant Yellow Tinter | Color Ctg, Single-Stage Ctg | 15.03 | 1801 | 3.36 | 403 | 3.36 | 403 | 22.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3523 | Phthalo Blue Tinter | Color Ctg, Single-Stage Ctg | 8.97 | 1075 | 3.85 | 461 | 3.85 | 461 | 43.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3530 | H5 Super Red Tinter | Color Ctg, Single-Stage Ctg | 9.27 | 1111 | 4.03 | 483 | 4.03 | 483 | 43.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3531 | H5 Splendid Yellow Tinter | Color Ctg, Single-Stage Ctg | 9.88 | 1184 | 3.54 | 424 | 3.54 | 424 | 35.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3532 | H5 Permanent Orange Tinter | Color Ctg, Single-Stage Ctg | 9.49 | 1137 | 3.56 | 426 | 3.56 | 426 | 37.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3533 | WhiteTinter | Color Ctg, Single-Stage Ctg | 13.63 | 1633 | 2.93 | 351 | 2.93 | 351 | 21.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3534 | Ruby Tinter | Color Ctg, Single-Stage Ctg | 8.85 | 1061 | 3.74 | 448 | 3.74 | 448 | 42.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3535 | Violet Tinter | Color Ctg, Single-Stage Ctg | 8.72 | 1045 | 3.83 | 459 | 3.83 | 459 | 43.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3536 | Scarlet Tinter | Color Ctg, Single-Stage Ctg | 8.88 | 1064 | 4.10 | 491 | 4.10 | 491 | 46.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3537 | Lt Chrome Yellow Tinter (Pb & Cr) | Color Ctg, Single-Stage Ctg | 12.94 | 1551 | 3.52 | 422 | 3.52 | 422 | 27.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

| Product Code | Description | Applicable Use Category(ies) | Density | Density | VOC Regulatory - Less Water Less Exempt | VOC Regulatory - Less Water Less Exempt | VOC Actual | VOC Actual | Wt. % Volatiles | Wt. % Water | Wt. % Exempt Compounds | Vol. % Water | Vol. % Exempt Compounds | Pounds of Organic HAP5 per Gallon of Product |
|--------------|--------------------------------|------------------------------|---------|---------|---|---|------------|------------|-----------------|-------------|------------------------|--------------|-------------------------|--|
| | | | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | | | | | | |
| F3538 | Chrome Yellow Tinter (Pb & Cr) | Color Ctg, Single-Stage Ctg | 13.04 | 1563 | 3.48 | 417 | 3.48 | 417 | 26.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3539 | Orange Tinter (Pb & Cr) | Color Ctg, Single-Stage Ctg | 12.72 | 1524 | 3.39 | 406 | 3.39 | 406 | 26.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3540 | Medium Green Tinter | Color Ctg, Single-Stage Ctg | 9.14 | 1095 | 3.63 | 435 | 3.63 | 435 | 39.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3541 | Dr Organic Green Tinter | Color Ctg, Single-Stage Ctg | 9.16 | 1098 | 3.74 | 448 | 3.74 | 448 | 40.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3542 | Yellow Oxide Tinter | Color Ctg, Single-Stage Ctg | 10.79 | 1293 | 3.32 | 398 | 3.32 | 398 | 30.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3543 | Black Tinter | Color Ctg, Single-Stage Ctg | 8.96 | 1074 | 3.28 | 393 | 3.28 | 393 | 36.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3544 | Red Oxide Tinter | Color Ctg, Single-Stage Ctg | 10.99 | 1317 | 3.38 | 405 | 3.38 | 405 | 30.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3545 | Organic Blue Tinter | Color Ctg, Single-Stage Ctg | 8.88 | 1064 | 3.72 | 446 | 3.72 | 446 | 41.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3546 | Night Blue Tinter | Color Ctg, Single-Stage Ctg | 8.98 | 1076 | 3.53 | 423 | 3.53 | 423 | 39.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3547 | Carbon Black Tinter | Color Ctg, Single-Stage Ctg | 8.93 | 1070 | 3.36 | 403 | 3.36 | 403 | 37.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 |
| F3548 | Light Yellow Tinter | Color Ctg, Single-Stage Ctg | 12.36 | 1481 | 3.65 | 437 | 3.65 | 437 | 29.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3549 | Red Shade Blue Tinter | Color Ctg, Single-Stage Ctg | 8.50 | 1019 | 4.35 | 521 | 4.35 | 521 | 51.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3550 | Balancing Clear | Color Ctg, Single-Stage Ctg | 8.51 | 1020 | 4.29 | 514 | 4.29 | 514 | 50.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3552 | H5 White Tinter | Color Ctg, Single-Stage Ctg | 16.97 | 2034 | 2.67 | 320 | 2.67 | 320 | 15.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3554 | Red Oxide Tinter | Color Ctg, Single-Stage Ctg | 10.98 | 1316 | 3.38 | 405 | 3.38 | 405 | 30.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3555 | Jet Black | Color Ctg, Single-Stage Ctg | 7.76 | 930 | 5.91 | 708 | 5.91 | 708 | 76.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.05 |
| F3556 | H5 Bright Red Tinter | Color Ctg, Single-Stage Ctg | 9.60 | 1150 | 3.48 | 417 | 3.48 | 417 | 36.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3557 | School Bus Yellow Tinter | Color Ctg, Single-Stage Ctg | 9.94 | 1191 | 3.48 | 417 | 3.48 | 417 | 35.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3558 | Red Shade Violet Tinter | Color Ctg, Single-Stage Ctg | 8.75 | 1049 | 3.84 | 460 | 3.84 | 460 | 43.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3600 | Fine Bright Aluminum Tinter | Color Ctg, Single-Stage Ctg | 9.40 | 1126 | 3.85 | 461 | 3.85 | 461 | 40.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3601 | Fine Gray Aluminum Tinter | Color Ctg, Single-Stage Ctg | 9.43 | 1130 | 3.74 | 448 | 3.74 | 448 | 39.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3602 | Sparkle Gray Aluminum Tinter | Color Ctg, Single-Stage Ctg | 9.60 | 1150 | 3.67 | 440 | 3.66 | 438 | 38.4 | 0.2 | 0.0 | 0.2 | 0.0 | 0.00 |
| F3603 | Extra Coarse Aluminum Tinter | Color Ctg, Single-Stage Ctg | 9.43 | 1130 | 3.72 | 446 | 3.72 | 446 | 39.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3604 | Sparkle Aluminum Tinter | Color Ctg, Single-Stage Ctg | 9.40 | 1126 | 3.65 | 437 | 3.65 | 437 | 38.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3605 | Medium Aluminum Tinter | Color Ctg, Single-Stage Ctg | 9.38 | 1124 | 3.68 | 441 | 3.68 | 441 | 39.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3700 | Metallic Additive | Color Ctg, Single-Stage Ctg | 8.92 | 1069 | 3.93 | 471 | 3.93 | 471 | 44.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3701 | Flop Adjuster | Color Ctg, Single-Stage Ctg | 9.73 | 1166 | 3.75 | 449 | 3.75 | 449 | 38.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3702 | H5 Flop Adjuster | Color Ctg, Single-Stage Ctg | 8.73 | 1046 | 4.00 | 479 | 4.00 | 479 | 45.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.33 |
| F3710 | Basecoat Blending Additive | Color Ctg, Single-Stage Ctg | 7.70 | 923 | 3.85 | 461 | 3.85 | 461 | 50.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3800 | White Pearl | Color Ctg, Single-Stage Ctg | 19.24 | 2306 | 1.92 | 230 | 1.92 | 230 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3801 | Blue Pearl | Color Ctg, Single-Stage Ctg | 20.41 | 2446 | 2.04 | 244 | 2.04 | 244 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3802 | Fine Russet Pearl | Color Ctg, Single-Stage Ctg | 29.15 | 3493 | 2.92 | 350 | 2.92 | 350 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3803 | Russet Pearl | Color Ctg, Single-Stage Ctg | 20.16 | 2416 | 2.02 | 242 | 2.02 | 242 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3804 | Fine Blue Pearl | Color Ctg, Single-Stage Ctg | 20.41 | 2446 | 2.04 | 244 | 2.04 | 244 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3805 | Gold Pearl | Color Ctg, Single-Stage Ctg | 21.24 | 2545 | 2.12 | 254 | 2.12 | 254 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3806 | Fine White Pearl | Color Ctg, Single-Stage Ctg | 25.82 | 3094 | 2.58 | 309 | 2.58 | 309 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3807 | Copper Pearl | Color Ctg, Single-Stage Ctg | 17.91 | 2146 | 1.79 | 214 | 1.79 | 214 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3808 | Super Gold Pearl | Color Ctg, Single-Stage Ctg | 19.99 | 2396 | 2.00 | 240 | 2.00 | 240 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3809 | Super Green Pearl | Color Ctg, Single-Stage Ctg | 21.00 | 2517 | 2.10 | 252 | 2.10 | 252 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3810 | Violet Pearl | Color Ctg, Single-Stage Ctg | 20.60 | 2469 | 2.06 | 247 | 2.06 | 247 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3811 | Red Pearl | Color Ctg, Single-Stage Ctg | 20.60 | 2469 | 2.06 | 247 | 2.06 | 247 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3812 | Orange Pearl | Color Ctg, Single-Stage Ctg | 20.60 | 2469 | 2.06 | 247 | 2.06 | 247 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3813 | Blue Green Pearl | Color Ctg, Single-Stage Ctg | 20.40 | 2445 | 2.04 | 244 | 2.04 | 244 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3814 | Olive Green Pearl | Color Ctg, Single-Stage Ctg | 20.40 | 2445 | 2.04 | 244 | 2.04 | 244 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

| Product Code | Description | Applicable Use Category(ies) | Density | Density | VOC Regulatory - Less Water Less Exempt | VOC Regulatory - Less Water Less Exempt | VOC Actual | VOC Actual | Wt. % Volatiles | Wt. % Water | Wt. % Exempt Compounds | Vol. % Water | Vol. % Exempt Compounds | Pounds of Organic HAP5 per Gallon of Product |
|--------------|---------------------------------------|------------------------------|---------|---------|---|---|------------|------------|-----------------|-------------|------------------------|--------------|-------------------------|--|
| | | | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | | | | |
| F3815 | Bronze Pearl | Color Ctg, Single-Stage Ctg | 20.60 | 2469 | 2.06 | 247 | 2.06 | 247 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3816 | Medium White Pearl | Color Ctg, Single-Stage Ctg | 18.40 | 2205 | 1.84 | 220 | 1.84 | 220 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3817 | Red-Green Pearl | Color Ctg, Single-Stage Ctg | 21.65 | 2595 | 2.16 | 259 | 2.16 | 259 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3905 | High Build Clear | | 8.12 | 973 | 3.34 | 400 | 3.34 | 400 | 41.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.94 |
| F3905SF | High Build Clear | | 8.12 | 973 | 3.34 | 400 | 3.34 | 400 | 41.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.94 |
| F3906 | High Build Clear - Sow Dry | | 8.12 | 973 | 3.34 | 400 | 3.34 | 400 | 41.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.94 |
| F3910 | High Performance Clear | | 8.13 | 974 | 2.48 | 297 | 2.48 | 297 | 30.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3911 | Chemical Resistant Clear | | 7.72 | 925 | 4.19 | 502 | 4.19 | 502 | 54.3 | 0.0 | 0.0 | 0.0 | 0.0 | 2.07 |
| F3915 | Designer Clear | | 8.89 | 1065 | 3.53 | 423 | 3.53 | 423 | 39.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.41 |
| F3920 | High Solids Clear | | 8.08 | 968 | 3.36 | 403 | 3.36 | 403 | 41.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.02 |
| F3921 | 2.1 VOC Clear | Clear Ctg | 9.21 | 1104 | 2.71 | 325 | 1.51 | 181 | 64.7 | 0.0 | 48.3 | 0.0 | 44.1 | 0.98 |
| F3925 | Urethane Clear | | 8.24 | 987 | 3.27 | 392 | 3.24 | 388 | 40.0 | 0.0 | 0.6 | 0.0 | 0.8 | 0.01 |
| F3930 | Conventional Clear | | 8.12 | 973 | 4.13 | 495 | 4.13 | 495 | 50.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.03 |
| F3950 | High Solids Epoxy Primer | | 10.36 | 1242 | 3.10 | 371 | 2.59 | 310 | 35.5 | 0.6 | 10.4 | 0.8 | 16.4 | 1.77 |
| F3950SF | High Solids Epoxy Primer | | 10.36 | 1242 | 3.10 | 371 | 2.59 | 310 | 35.5 | 0.6 | 10.4 | 0.8 | 16.4 | 1.77 |
| F3951 | High Solids Epoxy Primer Hardener | | 8.18 | 980 | 2.97 | 356 | 2.97 | 356 | 36.3 | 0.0 | 0.0 | 0.0 | 0.0 | 2.25 |
| F3955 | Conventional Epoxy Primer | | 11.80 | 1414 | 3.94 | 472 | 3.94 | 472 | 33.4 | 0.0 | 0.0 | 0.0 | 0.0 | 2.19 |
| F3960 | Pigmented Chrome Etch Primer | | 8.62 | 1033 | 5.41 | 648 | 5.41 | 648 | 62.7 | 0.0 | 0.0 | 0.0 | 0.0 | 1.17 |
| F3961 | Pigmented Chrome Etch Primer Catalyst | | 7.04 | 844 | 6.87 | 823 | 6.73 | 806 | 98.0 | 2.4 | 0.0 | 2.1 | 0.0 | 1.27 |
| F3963 | Chrome Etch Primer | | 7.56 | 906 | 6.15 | 737 | 6.14 | 736 | 81.3 | 0.2 | 0.0 | 0.1 | 0.0 | 0.95 |
| F3964 | Chrome Etch Primer Hardener | | 7.04 | 844 | 6.82 | 817 | 6.63 | 794 | 97.6 | 3.4 | 0.0 | 2.8 | 0.0 | 2.72 |
| F3966 | Non-Chrome Etch Primer | | 8.65 | 1037 | 5.59 | 670 | 5.58 | 668 | 64.7 | 0.2 | 0.0 | 0.2 | 0.0 | 0.84 |
| F3967 | Non-Chrome Etch Primer Hardener | | 7.08 | 848 | 6.71 | 804 | 6.66 | 798 | 95.0 | 0.9 | 0.0 | 0.8 | 0.0 | 3.26 |
| F3970 | Ultra High Solids Primer | Primer | 13.57 | 1626 | 1.58 | 189 | 1.40 | 168 | 15.9 | 0.0 | 5.5 | 0.0 | 11.4 | 0.00 |
| F3971 | Ultra High Solids Primer Hardener | Primer (Hardener) | 8.67 | 1039 | 2.25 | 270 | 2.25 | 270 | 26.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| F3975 | Fast Dry Surfacer | | 11.54 | 1383 | 4.29 | 514 | 4.29 | 514 | 37.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.43 |
| F3980 | High Solids Primer | | 11.67 | 1399 | 3.69 | 442 | 3.40 | 407 | 33.5 | 0.0 | 4.4 | 0.0 | 7.8 | 1.01 |
| F3981 | High Solids Primer Hardener | | 7.78 | 932 | 1.43 | 171 | 1.43 | 171 | 18.4 | 0.0 | 0.0 | 0.0 | 0.0 | 1.08 |
| F3983 | High Solids Fast Dry Primer (3/4 gal) | | 12.64 | 1515 | 3.39 | 406 | 3.39 | 406 | 26.9 | 0.0 | 0.0 | 0.0 | 0.0 | 1.22 |
| F3984 | High Solids Fast Dry Primer Hardener | | 8.49 | 1017 | 1.86 | 223 | 1.48 | 177 | 33.4 | 0.0 | 16.0 | 0.0 | 20.7 | 0.71 |
| F3985 | Pigmented Sealer - White | | 13.04 | 1563 | 2.86 | 343 | 2.86 | 343 | 21.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.83 |
| F3986 | Pigmented Sealer - Gray | | 12.67 | 1518 | 2.87 | 344 | 2.87 | 344 | 22.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.87 |
| F3987 | Pigmented Sealer - Black | | 12.33 | 1478 | 2.74 | 328 | 2.74 | 328 | 22.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.66 |
| F3993 | Conventional Epoxy Primer - Gray | | 11.84 | 1419 | 4.10 | 491 | 4.10 | 491 | 34.6 | 0.0 | 0.0 | 0.0 | 0.0 | 1.41 |
| F3994 | Conventional Epoxy Primer - Black | | 11.30 | 1354 | 4.12 | 494 | 4.12 | 494 | 36.4 | 0.0 | 0.0 | 0.0 | 0.0 | 1.45 |
| F3995 | Conventional Epoxy Primer | | 12.26 | 1469 | 4.09 | 490 | 4.09 | 490 | 33.4 | 0.0 | 0.0 | 0.0 | 0.0 | 1.49 |
| F3996 | Conventional Epoxy Primer Hardener | | 7.45 | 893 | 4.75 | 569 | 4.75 | 569 | 63.8 | 0.0 | 0.0 | 0.0 | 0.0 | 1.56 |
| F3998 | 2.1 VOC Primer Surfacer | Primer | 13.73 | 1645 | 1.30 | 156 | 1.18 | 141 | 13.1 | 0.0 | 4.5 | 0.0 | 9.3 | 0.37 |
| F3999 | 2.1 VOC Primer Surfacer Activator | Primer (Hardener) | 8.66 | 1038 | 1.72 | 206 | 1.49 | 179 | 27.4 | 0.0 | 10.1 | 0.0 | 13.3 | 0.23 |
| FBCH91777 | Cirrus Base White | | 10.18 | 1220 | 4.85 | 581 | 4.85 | 581 | 47.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FBCH75482 | Red | Color Ctg | 8.63 | 1034 | 4.14 | 496 | 4.14 | 496 | 48.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FBCH91777 | White | Color Ctg | 9.23 | 1106 | 4.11 | 492 | 4.11 | 492 | 44.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FD909508LG | Argent | | 8.78 | 1052 | 3.29 | 394 | 2.98 | 357 | 43.2 | 0.0 | 9.2 | 0.0 | 9.4 | 0.00 |
| FDG9000 | Factory Pack- Black | | 8.65 | 1037 | 3.55 | 425 | 3.55 | 425 | 41.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.43 |

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

| Product Code | Description | Applicable Use Category(ies) | Density | Density | VOC Regulatory - Less Water Less Exempt | VOC Regulatory - Less Water Less Exempt | VOC Actual | VOC Actual | Wt. % Volatiles | Wt. % Water | Wt. % Exempt Compounds | Vol. % Water | Vol. % Exempt Compounds | Pounds of Organic HAP5 per Gallon of Product |
|--------------|---------------------------|------------------------------|---------|---------|---|---|------------|------------|-----------------|-------------|------------------------|--------------|-------------------------|--|
| | | | lbs/gal | gm/ltr | lbs/gal | gm/ltr | lbs/gal | gm/ltr | | | | | | |
| FDGH35913 | Silver Blue Metallic | | 8.70 | 1043 | 3.17 | 380 | 3.17 | 380 | 36.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH36154 | Chevron Texaco Gray | | 9.70 | 1162 | 3.15 | 377 | 3.15 | 377 | 32.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH8717 | Factory Package - White | | 10.52 | 1261 | 3.14 | 376 | 3.14 | 376 | 29.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH9000 | Black | | 8.51 | 1020 | 3.25 | 389 | 3.25 | 389 | 38.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH9000SF | Black | | 8.51 | 1020 | 3.25 | 389 | 3.25 | 389 | 38.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.02 |
| FDGH906299 | Gloss Black | | 8.54 | 1023 | 3.16 | 379 | 3.16 | 379 | 37.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH91327 | Factory Pack - White | | 10.52 | 1261 | 3.17 | 380 | 3.17 | 380 | 30.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH91430 | Chevron Texaco White | | 10.55 | 1264 | 3.14 | 376 | 3.14 | 376 | 29.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH915874 | IPS Basic Orange | | 9.40 | 1126 | 3.21 | 385 | 3.21 | 385 | 34.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH915950 | Atomic Tangerine | | 10.14 | 1215 | 3.19 | 382 | 3.19 | 382 | 31.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH915951 | Diamondback Light Gray | | 9.62 | 1153 | 3.14 | 376 | 3.14 | 376 | 32.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH915952 | Diamondback Dark Gray | | 8.85 | 1061 | 3.16 | 379 | 3.16 | 379 | 35.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGH91777 | White | | 10.54 | 1263 | 3.17 | 380 | 3.17 | 380 | 30.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGU26627 | UPS Standard Brown | Single-Stage Ctg | 8.77 | 1051 | 2.95 | 353 | 2.79 | 334 | 37.3 | 0.0 | 5.5 | 0.0 | 5.4 | 0.00 |
| FDGU33776 | UPS Standard Gray | Single-Stage Ctg | 9.88 | 1184 | 2.93 | 351 | 2.77 | 332 | 33.0 | 0.0 | 4.9 | 0.0 | 5.5 | 0.00 |
| FDGU90419 | Houston Metro White | Single-Stage Ctg | 10.78 | 1292 | 2.27 | 272 | 1.81 | 217 | 33.7 | 0.0 | 16.9 | 0.0 | 20.5 | 0.00 |
| FDGU90631 | White Factory Pack | Single-Stage Ctg | 10.73 | 1286 | 2.88 | 345 | 2.88 | 345 | 26.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDGU911678 | Houston Metro Matte Black | Single-Stage Ctg | 9.35 | 1121 | 2.76 | 331 | 1.83 | 219 | 51.1 | 0.0 | 31.5 | 0.0 | 33.9 | 0.00 |
| FDGU915493 | UPS Freight Gray | Single-Stage Ctg | 9.49 | 1137 | 2.80 | 335 | 2.34 | 280 | 40.1 | 0.0 | 15.3 | 0.0 | 16.4 | 0.27 |
| FDGU915494 | UPS Freight Black | Single-Stage Ctg | 8.64 | 1035 | 2.96 | 355 | 2.78 | 333 | 38.5 | 0.0 | 6.2 | 0.0 | 6.0 | 0.00 |
| FDGU92559 | White | Single-Stage Ctg | 10.78 | 1292 | 2.83 | 339 | 2.83 | 339 | 26.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 |
| FDSH91776 | White | | 10.44 | 1251 | 3.31 | 397 | 3.31 | 397 | 31.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.14 |